

COOK CHILDREN'S WALSH ENT CLINIC

COOK CHILDREN'S

GUIDE Project: 24066

DESIGN DEVELOPMENT

03/13/2025



GUIDE Architecture, LLC
1108 Quaker St. Suite 130
Dallas, TX 75207
1.214.960.9773

MEP ENGINEERING
SSR

1300 SUMMIT AVE, #225
FORT WORTH, TX 76102
214-765-6293

EQUIPMENT PLANNER
COVALUS
901 MAIN ST, #4100
DALLAS, TX, 75202
214-932-0770

FURNITURE DESIGN
ROYER
3100 W 7TH ST. #200
FORT WORTH, TX, 76107
817-332-5424

E

D

C

B

A

LIFE SAFETY- OCCUPANCY- LEVEL 2					
NUMBER	NAME	AREA	AREA FUNCTION (OLF)	AREA PER OCCUPANT	OCCUPANTS CALCULATED
001	ENT CLINIC	3834.72 SF	(IBC2021) BUSINESS AREAS	150.00 SF	26
		3834.72 SF			26

EGRESS PATHS- LEVEL 2	
PATH	DISTANCE
E1	149'-9"
E2	86'-9 1/2"

SHEET INDEX

NUMBER	NAME	PROJECT STATUS		REVISION	
		DESIGN PHASE	ISSUE DATE	REV#	DATE
GENERAL					
G0.000	COVER SHEET	DESIGN DEVELOPMENT	03/13/2025		
G0.200	PROJECT GENERAL INFORMATION	DESIGN DEVELOPMENT	03/13/2025		
ARCHITECTURAL					
A2.021	DEMOLITION & FLOOR PLAN- LEVEL 2- AREA 1	DESIGN DEVELOPMENT	03/13/2025		
A2.121	RCP & DIM CONTROL PLAN- LEVEL 2- AREA 1	DESIGN DEVELOPMENT	03/13/2025		
A2.200	ENLARGED PLANS & ELEVATIONS	DESIGN DEVELOPMENT	03/13/2025		
A3.020	PARTITION DETAILS	DESIGN DEVELOPMENT	03/13/2025		
A3.030	FRAMING DETAILS	DESIGN DEVELOPMENT	03/13/2025		
A3.210	DOOR SCHEDULE & DETAILS	DESIGN DEVELOPMENT	03/13/2025		
A3.700	MILLWORK TYPE SCHEDULE AND NOTES	DESIGN DEVELOPMENT	03/13/2025		
A3.800	INTERIOR DETAILS	DESIGN DEVELOPMENT	03/13/2025		
INTERIOR DESIGN					
I1.000	MATERIAL FINISHES & FLOOR TRANSITION DETAILS	DESIGN DEVELOPMENT	03/13/2025		
I2.021	FLOOR PATTERN PLAN- LEVEL 2- AREA 1	DESIGN DEVELOPMENT	03/13/2025		
EQUIPMENT					
Q2.020	MEDICAL EQUIPMENT FLOOR PLAN- LEVEL 2	DESIGN DEVELOPMENT	03/13/2025		
PLUMBING					
P0.1	PLUMBING LEGENDS, INDEX, NOTES AND SCHEDULES	DESIGN DEVELOPMENT	03/13/2025		
P2.1	PLUMBING LEVEL 01	DESIGN DEVELOPMENT	03/13/2025		
P2.2	PLUMBING LEVEL 02	DESIGN DEVELOPMENT	03/13/2025		
P5.1	PLUMBING DETAILS	DESIGN DEVELOPMENT	03/13/2025		
ELECTRICAL					
E0.0	ELECTRICAL LEGENDS, INDEX, AND NOTES	DESIGN DEVELOPMENT	03/13/2025		
E0.1	ELECTRICAL SCHEDULES	DESIGN DEVELOPMENT	03/13/2025		
E2.2	ELECTRICAL LIGHTING LEVEL 2	DESIGN DEVELOPMENT	03/13/2025		
E3.2	ELECTRICAL POWER LEVEL 2	DESIGN DEVELOPMENT	03/13/2025		
E4.2	ELECTRICAL FIRE ALARM LEVEL 2	DESIGN DEVELOPMENT	03/13/2025		
E5.1	ELECTRICAL DETAILS	DESIGN DEVELOPMENT	03/13/2025		
E8.1	ELECTRICAL PANEL SCHEDULES	DESIGN DEVELOPMENT	03/13/2025		
MECHANICAL					
M0.0	MECHANICAL LEGENDS, INDEX, AND NOTES	DESIGN DEVELOPMENT	03/13/2025		
M0.1	MECHANICAL SCHEDULES	DESIGN DEVELOPMENT	03/13/2025		
M2.2	MECHANICAL DUCTWORK LEVEL 2	DESIGN DEVELOPMENT	03/13/2025		
M5.1	MECHANICAL DETAILS	DESIGN DEVELOPMENT	03/13/2025		
TECHNOLOGY					
T0.0	TECHNOLOGY LEGENDS, INDEX, & NOTES	DESIGN DEVELOPMENT	03/13/2025		
T2.2	TECHNOLOGY - LEVEL 02 - ENT DEMO & RENO PLAN	DESIGN DEVELOPMENT	03/13/2025		
T6.0	TECHNOLOGY DETAILS	DESIGN DEVELOPMENT	03/13/2025		
T6.1	TECHNOLOGY DETAILS	DESIGN DEVELOPMENT	03/13/2025		
TE02.6	TECHNOLOGY EQ - LEVEL 02 - ENT	DESIGN DEVELOPMENT	03/13/2025		
FURNITURE					
F0.1	FURNITURE PLAN - VENDOR DRAWING	DESIGN DEVELOPMENT	03/13/2025		

PROJECT INFORMATION

PROJECT SCOPE DESCRIPTION:

THIS IS PROJECT IS A 5,400 SQF TENANT FINISH OUT ON THE 2ND FLOOR OF AN EXISTING PEDIATRICS MEDICAL OFFICE BUILDING.

BUILDING INFORMATION:

CONSTRUCTION TYPE: TYPE II-B
ADDRESS: 13340 HIGHLAND HILLS DR. SUITE 211, ALEDO, TX 76008

APPLICABLE CODES:



BUILDING CODE: 2021 INTERNATIONAL BUILDING CODE WITH LOCAL AMENDMENTS
FUEL CODE: 2021 INTERNATIONAL FUEL GAS CODE WITH LOCAL AMENDMENTS
MECHANICAL CODE: 2021 INTERNATIONAL MECHANICAL CODE WITH LOCAL AMENDMENTS
PLUMBING CODE: 2021 INTERNATIONAL PLUMBING CODE WITH LOCAL AMENDMENTS
ELECTRICAL CODE: 2020 NATIONAL ELECTRIC CODE WITH LOCAL AMENDMENTS
FIRE CODE: 2021 INTERNATIONAL FIRE CODE WITH LOCAL AMENDMENTS
ENERGY CODE: 2021 INTERNATIONAL ENERGY CONSERVATION WITH LOCAL AMENDMENTS
ACCESSIBILITY: 2010 ADA STANDARDS FOR ACCESSIBLE DESIGN
2012 TEXAS ACCESSIBILITY STANDARDS

JURISDICTION: ALEDO, TX

AREA MAP



VICINITY MAP




CODE PLAN LEGEND

- PARTITION
- NON-RATED SMOKE PARTITION
- 1 HR SMOKE BARRIER (FOR COMPARTMENTATION)
- 1 HR FIRE BARRIER
- 2 HR FIRE BARRIER
- EXISTING FIRE EXTINGUISHER
- NEW FIRE EXTINGUISHER
- DOOR NUMBER
DOOR FIRE RATING (MINUTES)
- DOOR NUMBER
DOOR EXIT WIDTH (INCHES)
- EGRESS PATH
- DISTANCE TO FIRE EXTINGUISHER
- COMMON PATH OF TRAVEL
- PATH LENGTH
- PATH NUMBER

01 CODE COMPLIANCE PLAN- LEVEL 2
1/16" = 1'-0"

3/13/2025 9:45:40 PM



MARK CRISWELL 19825

DESIGN DEVELOPMENT - 03/13/2025

Δ	DESCRIPTION	DATE

Project Number 24066
Drawn AH
Checked MK
Approved MC

COVER SHEET

SHEET

GO.000
GUIDE Architecture, LLC

E

D

C

B

A

3/13/2025 5:13:25 PM

1

2

3

4


5

6


ABBREVIATIONS
THESE ABBREVIATIONS ARE BASED ON STANDARD ABBREVIATIONS THAT ARE USED IN CONSTRUCTION. HOWEVER, ALL ABBREVIATIONS MUST BE REVIEWED IN CONTEXT AND FINAL INTERPRETATION IS BY THE ARCHITECT. NOT ALL ABBREVIATIONS THAT ARE LISTED ARE USED IN THE ATTACHED DOCUMENTS.

Table of abbreviations for construction elements including AND, INCHES, ANGLE, CENTERLINE, DIAMETER OR ROUND, POUND OR NUMBER, etc.


SHEET SERIES LEGEND




VIEW MARKERS



DRAWING SYMBOLS



ITEM TAGS



OCCUPANCY CLASSIFICATION:

2015 IBC GROUP 1-2 (HEALTHCARE) OCCUPANCY
NPPA 101, 2012 GROUP B (ASSEMBLY) OCCUPANCY: ACCESSORY OCCUPANCY

CONSTRUCTION CLASSIFICATION TYPE:

2015 IBC TYPE IIB, FULLY SPRINKLERED
NPPA 220 TYPE III (000)

BUILDING HEIGHT:

ALLOWABLE BUILDING HEIGHT, FEET ABOVE GRADE: 55'
ACTUAL BUILDING HEIGHT: 15'

NUMBER OF STORIES:

ALLOWABLE NUMBER OF STORIES ABOVE GRADE: 1
ACTUAL NUMBER OF STORIES: 1

BUILDING AREA:

ALLOWABLE BUILDING AREA, SF, SPRINKLERED: 44,000
ACTUAL BUILDING AREA, SF: XX,000

FIRE RESISTIVE RATINGS - TABLE 601:

Table with columns: BUILDING ELEMENT, FIRE RATING, IN HOURS, TYPE IIB. Rows include Primary Structural Frame, Bearing Walls, Non-bearing Walls and Partitions, etc.

SPRINKLER PROVISIONS:

- 1. BUILDINGS SHALL BE FULLY SPRINKLERED PER NFPA 13.
2. ALL SPRINKLER DESIGN INFORMATION SHALL BE SUBMITTED AS SHOP DRAWINGS STAMPED BY A PROFESSIONAL ENGINEER...
4. SYSTEM REQUIREMENTS FOR NON-RESIDENTIAL AREAS SUBJECT TO THE APPROVAL OF THE AUTHORITY HAVING JURISDICTION.

PLUMBING FIXTURES - TABLE 2902.1:

Table with columns: FIXTURE TYPE, REQUIRED, PROVIDED. Rows include Water Closet, Lavatory, Bath/Showers, etc.



COOK CHILDREN'S WALSH ENT CLINIC

COOK CHILDREN'S
13340 HIGHLAND HILLS DRIVE
SUITE 211
ALEDO, TX, 76008




Table with columns: Δ, DESCRIPTION, DATE. Used for change tracking.

Project Number 24066
Drawn DH
Checked MK
Approved MC

PROJECT GENERAL INFORMATION

SHEET

G0.200

GUIDE Architecture, LLC



GUIDE
GUIDE Architecture, LLC
1108 Quaker St. Suite 130
Dallas TX 75207
1.214.960.9773

COOK CHILDREN'S WALSH ENT CLINIC

COOK CHILDREN'S
13340 HIGHLAND HILLS DRIVE
SUITE 211
ALEDO, TX, 76008

DEMOLITION PLAN GENERAL NOTES

- REFER TO SPECIFICATIONS FOR INTERIM LIFE SAFETY MEASURES.
- CONSTRUCT TEMPORARY PARTITIONS AS REQUIRED BY OWNER AND/OR PHASING TO MINIMIZE THE SPREAD OF DUST AND NOISE.
- THESE DRAWINGS HAVE BEEN DEVELOPED FROM EXISTING DRAWINGS WHICH MAY NOT REFLECT ACTUAL FIELD CONDITIONS. VERIFY THESE DRAWINGS WITH EXISTING FIELD CONDITIONS AND NOTIFY THE ARCHITECT IMMEDIATELY OF INCONSISTENCIES BETWEEN THEM AND ACTUAL CONDITIONS BEFORE PROCEEDING WITH CONSTRUCTION.
- REPAIR ANY DAMAGED FIRE RATED ASSEMBLIES TO THEIR ORIGINAL SPECIFICATION.
- REMOVE EXISTING CONSTRUCTION AS INDICATED. TYPICAL WALL REMOVAL INCLUDES FINISHES AND MECHANICAL, PLUMBING AND ELECTRICAL SYSTEMS CONTAINED THEREIN. REMOVE DOORS, CASEWORK, WINDOWS, FRAMES AND OTHER FIXTURES AS REQUIRED. AFTER REMOVAL OF PIPE CHASES, PATCH HOLES IN EXISTING FLOORS OR WALLS TO REMAIN TO MEET ORIGINAL FIRE PROTECTION AND STRUCTURAL REQUIREMENTS. PATCH ADJOINING WALLS, FLOORS & DECK AND PREPARE TO RECEIVE NEW FINISHES PER FINISH SCHEDULE OR PER INTERIOR FINISH PLANS.
- WHERE NEW FINISHES ARE TO BE INSTALLED ON EXISTING SURFACES, REMOVE THE EXISTING FINISH AND PREPARE SURFACE TO RECEIVE THE NEW FINISH PER MANUFACTURER'S REQUIREMENTS.
- COORDINATE WITH THE OWNER ANY ITEMS TO BE STORED AND/OR RELOCATED.
- SEE MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR DEMOLITION OF APPLICABLE SCOPES OF WORK.
- VERIFY THAT CONSTRUCTION OF EXISTING WALLS WITHIN THE AREA OR RENOVATION MEETS THE FIRE PROTECTION RATINGS DESIGNATED ON THE CODE COMPLIANCE PLANS. MAKE ANY REPAIRS OR MODIFICATIONS NECESSARY TO BRING EXISTING WALLS, DOORS, DUCTS, ETC. UP TO THE PROPER FIRE PROTECTION RATING REQUIRED. DOORS, FRAMES, AND OTHER ELEMENTS SHALL HAVE THE PROPER LABELING.
- VERIFY THAT EXIT EGRESS IS MAINTAINED FOR ALL OCCUPIED AREAS OF THE BUILDING THROUGHOUT CONSTRUCTION.
- DEMOLITION WORK SHALL BE EXECUTED IN CONFORMANCE WITH ALL CODES AS SET FORTH BY ALL GOVERNING AUTHORITIES HAVING JURISDICTION.
- BRACE ALL EXISTING STRUCTURES OR STRUCTURAL ELEMENTS AS NECESSARY DURING DEMOLITION.
- DO NOT CUT ANY STRUCTURAL WORK WITHOUT PRIOR APPROVAL FROM THE STRUCTURAL ENGINEER.
- THE EXISTING BUILDING ENVELOPE SHALL BE MAINTAINED IN A WATER TIGHT CONDITION AT ALL TIMES.
- REPLACE OR REPAIR ANY EXISTING TO REMAIN FINISHES WHICH ARE DAMAGED DURING DEMOLITION AND CONSTRUCTION.
- NOTIFY THE ARCHITECT IMMEDIATELY IF THE REMOVAL OF MECHANICAL, ELECTRICAL, PLUMBING SYSTEMS OR COMPONENTS WILL ADVERSELY AFFECT THE OPERATION OF MEP SYSTEMS OUTSIDE THE LIMIT OF DEMOLITION AND/OR SCOPE OF WORK.
- SCHEDULE ALL DEMOLITION WITH THE OWNER.

NOTE BY NUMBER - DEMOLITION PLAN

NO.	NOTE
1	DOOR, FRAME, AND HARDWARE TO BE REMOVED AS REQUIRED FOR REVISED LAYOUT. PROTECT DOOR, HARDWARE, AND FRAME FOR SALVAGE AND REUSE.
2	PARTITION TO BE DEMOLISHED

DEMOLITION PLAN LEGEND



FLOOR PLAN GENERAL NOTES

- REFER TO A3.020 FOR PARTITION TYPES.
- REFER TO CODE COMPLIANCE PLANS FOR THE EXTENT OF RATED PARTITIONS.
- ALL PARTITIONS ARE TYPE Ma3, HEAD 1, INSULATION A UNLESS NOTED OTHERWISE.
- DIMENSIONS SHOWN ON THE FLOOR PLANS FOR NEW CONSTRUCTION ARE TO THE FACE OF FINISH OF INTERIOR WALLS, TO CENTERLINE OF COLUMNS, AND TO THE FACE OF CONCRETE OR MASONRY WALLS UNLESS NOTED OTHERWISE.
- WHERE NEW GYPSUM PARTITIONS ARE A CONTINUATION OF A COLUMN ENCASUREMENT, THE FACE OF THE NEW GYPSUM BOARD SHOULD BE ALIGNED WITH THE FACE OF THE ADJACENT SURFACE. WHERE A 1 HOUR PARTITION IS SHOWN AS A CONTINUATION OF A 2 HOUR PARTITION OR COLUMN ENCASUREMENT, THE FACE OF THE GYPSUM BOARD SHALL BE ALIGNED. STUDS SHALL BE OFFSET AND ADDITIONAL LAYERS OF GYPSUM BOARD SHALL BE APPLIED AS REQUIRED TO PROVIDE FACE ALIGNMENT OF PARTITIONS.
- CLINICAL SINKS SHALL BE MOUNTED SO THAT THE CENTERLINE OF THE SINK IS 1'-6" MINIMUM TO THE FACE OF ADJACENT FIXED EQUIPMENT, CASEWORK, OR PARTITIONS.
- REFER TO THE ACCESSORY ITEM TYPES AND MOUNTING HEIGHTS SHEET FOR TYPICAL MOUNTING HEIGHTS OF PLUMBING FIXTURES AND TOILET ACCESSORIES.
- LAVATORIES AND SINKS SHALL BE ACCOMPANIED BY A PAPER TOWEL DISPENSER AND SOAP DISPENSER UNLESS OTHERWISE NOTED ON THE PLANS.
- PROVIDE MINIMUM 1'-0" CLEAR FLOOR SPACE AT THE PUSH SIDE OF EVERY DOOR WITH A CLOSER AND A LATCH. PROVIDE MINIMUM 1'-6" CLEAR FLOOR SPACE AT THE PULL SIDE OF EVERY DOOR (EXCLUDING PATIENT BEDROOMS), UNLESS SPECIFICALLY NOTED OR DIMENSIONED OTHERWISE.
- FOR WALL HUNG TOILETS, PROVIDE A 1'-4" WIDE CHASE AT THE BACK OF SINGLE SIDED TOILETS, AND A 1'-8" WIDE CHASE BETWEEN BACK-TO-BACK TOILETS.
- ALL LAVATORIES AND SINKS SHALL BE MOUNTED A MINIMUM OF 1'-3" FROM THE CENTERLINE OF THE FIXTURE TO THE FINISHED FACE OF THE ADJACENT PARTITION.
- REFER TO FINISH PLANS FOR WALL PROTECTION TYPES AND LOCATIONS.

FLOOR PLAN- NOTES BY NUMBER

NUMBER	NOTE
1	OWNER TO PROVIDE TECHNOLOGY INFORMATION
2	OWNER TO PROVIDE FURNITURE SOLUTIONS




MARK CRISWELL 19825
DESIGN DEVELOPMENT - 03/13/2025

Δ	DESCRIPTION	DATE


Project Number 24066
Drawn AH
Checked MK
Approved MC

DEMOLITION &
FLOOR PLAN- LEVEL
2- AREA 1
SHEET

A2.021
GUIDE Architecture, LLC




1 DEMOLITION PLAN-PARTIAL-LEVEL 2- AREA 1
1/8" = 1'-0"




A1 FLOOR PLAN- PARTIAL- LEVEL 2 - AREA 1
1/8" = 1'-0"

3/13/2025 5:38:41 PM


ARCHITECTURE - DOOR SCHEDULE - CORE AND SHELL																			
DOOR		DOOR PANELS					DOOR FRAME												
NUMBER	FIRE RATING (MIN)	PANEL TYPE		PANEL DIMENSIONS			TOTAL OF PANELS		THICKNESS	FINISH 1	TYPE	FACE DIMENSIONS			HEAD	JAMB	HW SET	COMMENTS	NUMBER
		PANEL 1	PANEL 2	PANEL 1	PANEL 2	HEIGHT	WIDTH	HEIGHT				JAMB WIDTH	HEAD HEIGHT	DEPTH					
LEVEL 2																			
C2003A		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C2003A
C2003B		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"			CARD READER, AUTO OPENER BY DOOR RELEASE		C2003B
C2024		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C2024
C2026T		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C2026T
C2027		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C2027
C2028		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C2028
C2201		PNL-F-WD		3'-0"		7'-0"	2'-10"	7'-0"	1 3/4"	<By Category>	FRM-SDHM6	1"	2"	4 3/4"					C2201
C2202		PNL-F-WD		3'-0"		7'-0"	2'-10"	7'-0"	1 3/4"	<By Category>	FRM-SDHM6	1"	2"	4 3/4"					C2202
C2203		PNL-F-WD		3'-0"		7'-0"	2'-10"	7'-0"	1 3/4"	<By Category>	FRM-SDHM6	1"	2"	4 3/4"					C2203
C2204		PNL-F-WD		3'-0"		7'-0"	2'-10"	7'-0"	1 3/4"	<By Category>	FRM-SDHM6	1"	2"	4 3/4"					C2204
C2205		PNL-F-WD		3'-0"		7'-0"	2'-10"	7'-0"	1 3/4"	<By Category>	FRM-SDHM6	1"	2"	4 3/4"					C2205
C2206		PNL-F-WD		3'-0"		7'-0"	2'-10"	7'-0"	1 3/4"	<By Category>	FRM-SDHM6	1"	2"	4 3/4"					C2206
C2207		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C2207
C2209		PNL-F-WD		3'-0"		7'-0"	2'-10"	7'-0"	1 3/4"	<By Category>	FRM-SDHM6	1"	2"	4 3/4"					C2209
C2210		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C2210
C2212		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C2212
C2213		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C2213
C2214		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C2214
C24001		PNL-F-WD		3'-8"		7'-0"	3'-8"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C24001
C24002		PNL-F-WD		3'-0"		7'-0"	3'-0"	7'-0"	1 3/4"	<By Category>	FRM-QDHM1	2"	2"	5 3/4"					C24002




5 JAMB-HOLLOW METAL
3" = 1'-0"




4 HEAD-HOLLOW METAL
3" = 1'-0"



3 DR - PNL F
1/4" = 1'-0"



2 DR - FR 50
1/4" = 1'-0"



1 DR - FR 00
1/4" = 1'-0"

Δ	DESCRIPTION	DATE

E
—
D
—
C
—
B
—
A

FLOOR PATTERN FINISH LEGEND

← FLOOR PATTERN DIRECTION
X FLOOR TRANSITION TAG, COORDINATE WITH FINISH DETAILS


FLOOR PATTERN FINISH LEGEND

-  CPT1
-  LVT
-  RS1
-  LVT1
-  LVT2
-  LVT3
-  LVT4
-  LVT5

FINISH PLAN - NOTE BY NUMBER	
NO	NOTE

FINISH PLAN GENERAL NOTES

- GENERAL NOTES**
- REFER TO MATERIAL FINISHES ON 11.00 FOR FINISH MANUFACTURER AND COLOR INFORMATION.
 - REFER TO 12.100 FOR FLOORING TRANSITIONS, BASE DETAILS, FINISH DETAILS AND WALL PROTECTION DETAILS.
- FLOORS**
- ADJUST FLOOR TILE IN FIELD AREA TO ACCOMMODATE PATTERN. FLOORING MATERIAL THAT IS 6" OR LARGER TO RECEIVE A CUT THAT IS NO LESS THAN 1/3 OF THE MATERIAL. FLOOR SLAB TO BE PREPARED TO RECEIVE NEW FLOORING PER MANUFACTURERS SPECIFICATIONS.
 - ALL FLOOR FINISH TRANSITIONS SHALL OCCUR AT THE CENTERLINE OF THE DOOR WHEN THE DOOR IS IN THE CLOSED POSITION.
 - ALL FLOOR FINISH MATERIALS SHALL BE INSTALLED TIGHT TO DRYWALL AND MILLWORK.
 - PROVIDE PLAN FOR SEAMING AND DIRECTION FOR APPROVAL.
 - ALL FLOORING TO EXTEND UNDER MILLWORK.
- WALL BASE**
- ALL BASE TO BE RB1, UNO.
 - ALL RUBBER BASE SHALL BE SEALED TIGHT TO FINISHED FLOOR MATERIAL.
 - PROVIDE SCHEDULED BASE ALONG BOTTOM OF EXPOSED FRONTS, BACKS, SIDES, AND ENDS OF ALL FIXED CABINETS, PEDESTALS, VERTICAL SUPPORT PANELS, KNEE SPACES, ETC., UNO ON INTERIOR ELEVATIONS OR MILLWORK DETAILS.
- WALLS**
- ALL WALLS TO BE PT1, UNO. COORDINATE WITH ACCENT WALLS NOTED ON PLANS.
 - PAINT ALL ELECTRICAL PANELS AND ACCESS WALL PANELS TO MATCH ADJACENT WALL COLOR.
 - COORDINATE MULTI-FINISH WALLS WITH INTERIOR ELEVATIONS AND DETAILS.
- DOORS/WINDOWS**
- COORDINATE ALL DOOR PANEL AND FRAME FINISHES WITH THE DOOR SCHEDULE.
 - ALL INTERIOR HOLLOW METAL DOORS AND FRAMES AND INTERIOR SURFACE OF EXTERIOR HOLLOW METAL DOORS AND FRAMES WITHIN SCOPE TO BE PAINTED SPC1.
- CEILING**
- ALL ETR OR NEW GYPSUM BOARD CEILINGS WITHIN SCOPE TO BE PAINTED PT2-E, UNO.
 - ALL SURFACES OF SOFFITS TO MATCH ADJACENT WALLS, UNO.
 - PAINT ALL ACCESS PANELS IN GYPSUM CEILINGS TO MATCH ADJACENT CEILING COLOR.
- MILLWORK**
- ALL NEW MILLWORK TO HAVE SOLID SURFACE COUNTERTOPS SSM1, UNO.
 - ALL NEW MILLWORK INTERIORS TO HAVE A WHITE MELAMINE FINISH.
 - ALL NEW MILLWORK TO HAVE PLASTIC LAMINATE CABINETS PL-1, UNO. PLASTIC LAMINATE EDGES TO HAVE 3MM DOELKEN PVC EDGE BANDING TO MATCH PLASTIC LAMINATE.
 - PROVIDE PLASTIC LAMINATE FINISHES AT ALL EXPOSED/OPEN SHELVING IN MILLWORK, WITH 3MM DOELKEN PVC EDGE BANDING TO MATCH PLASTIC LAMINATE.
 - ALL NEW GROMMETS TO BE BLACK, LOCATE AT ALL WORKSTATION WITH COMPUTERS, AMOUNTS TO BE DETERMINED BY OWNER AND LOCATED IN FIELD BY OWNER. COORDINATE FINISHES AT EXISTING MILLWORK LOCATIONS WITHIN SCOPE WITH KEYNOTES ON FINISH PLANS.




NOT FOR REGULATORY APPROVAL PERMITTING OR CONSTRUCTION

MARK CRISWELL 19825
DESIGN DEVELOPMENT - 03/13/2025


Δ	DESCRIPTION	DATE

Project Number 24066
Drawn Author
Checked Checker
Approved Approver

FINISH & FLOOR PATTERN PLAN-LEVEL 2 - AREA 1



2 FLOOR PATTERN PLAN-PARTIAL- LEVEL 2 - AREA 1
1/8" = 1'-0"



1 FINISH PLAN-PARTIAL- LEVEL 2 - AREA 1
1/8" = 1'-0"

FINISH PLAN LEGEND

ROOM FINISH TAG

IF NOT SHOWN, REFER TO FINISH PLAN GENERAL NOTES
IF NOT SHOWN, REFER TO M, SERIES AND FINISH PLAN GENERAL NOTES
IF NOT SHOWN, REFER TO FINISH PLAN GENERAL NOTES

MILLWORK FINISH TAG: CABINETS/COUNTERTOPS
IF WHOLE TAG OR CABINET OR COUNTERTOP NOT SHOWN, REFER TO FINISH PLAN GENERAL NOTES

ACCENT FINISH TAG

WALL PROTECTION TAG

E

D

C

B

A



GUIDE Architecture, LLC
 1108 Quaker St. Suite 130
 Dallas TX 75207
 1.214.960.9773

RENOVATION LEGEND	
SYMBOL	DESCRIPTION
	EXISTING TO REMAIN
	NEW CONSTRUCTION
	CONNECT TO EXISTING AT THIS POINT

SHEET KEYED NOTES	
1.	ROUTE 2" WASTE UP TO LAV/SINK(S).
2.	CONNECT NEW 4" WASTE TO EXISTING 4" WASTE STACK.
3.	ROUTE 4" WASTE UP TO WATER CLOSET.

COOK CHILDREN'S WALSH ENT CLINIC
 COOK CHILDREN'S
 13340 HIGHLAND HLS DRIVE
 SUITE 211
 ALEDO, TX, 76008

THESE DOCUMENTS ARE FOR INTERIM REVIEW AND NOT INTENDED FOR CONSTRUCTION, BIDDING, OR PERMIT PURPOSES.
 ENGINEER OF RECORD

DESIGN DEVELOPMENT - 03/13/2025


Δ	DESCRIPTION	DATE

Project Number 24066
 Drawn Author
 Checked Checker
 Approved Approver

PLUMBING LEVEL 01

SHEET

P2.1
 GUIDE Architecture, LLC



1 PLUMBING LEVEL 1
 1/8" = 1'-0"

E

D

C

B

A

1

2

3

4

5

6

3/13/2025 2:27:16 PM



GUIDE Architecture, LLC
 1108 Quaker St. Suite 130
 Dallas TX 75207
 1.214.960.9773

COOK CHILDREN'S WALSH ENT CLINIC

COOK CHILDREN'S
 13340 HIGHLAND HLS DRIVE
 SUITE 211
 ALEDO, TX, 76008

RENOVATION LEGEND	
SYMBOL	DESCRIPTION
	EXISTING TO REMAIN
	NEW CONSTRUCTION
	CONNECT TO EXISTING AT THIS POINT

SHEET KEYED NOTES	
1.	ROUTE 1/2" CW, 1/2" HW AND 2" VENT DOWN TO LAV/SINK(S).
2.	ROUTE 1" CW AND 2" VENT DOWN TO WATER CLOSET.
3.	LOCATE THERMOSTATIC MIXING VALVE SERVING EMERGENCY EYE WASH BELOW COUNTER. ROUTE 1/2" HW AND 1/2" CW TO MIXING VALVE AND ROUTE 1/2" TEPID WATER (85 DEGREE) LINE UP TO EMERGENCY EYE/FACE WASH.
4.	REMOVE THIS PORTION OF HOT WATER PIPING. EXTEND THE EXISTING HOT WATER LOOP AS SHOWN ON THE DRAWINGS.
5.	CONNECT NEW 2" CW PIPING INTO EXISTING 2 1/2" CW WATER CAPPED FOR FUTURE TENANT.
6.	CONNECT NEW 4" VENT INTO EXISTING 4" VENT PIPING LOCATED ABOVE THE CEILING.

SHEET GENERAL NOTES	
1.	CONTRACTOR TO FIELD VERIFY EXISTING CONDITIONS PRIOR TO START OF WORK. REPORT BACK ANY MAJOR DIFFERENCES OF EXISTING PIPING SHOWN ON THE DRAWINGS.
2.	APPROXIMATE AREA OF FIRE PROTECTION WORK. REFER TO ARCHITECTURAL REFLECTED CEILING PLANS FOR COMPLETE EXTENT OF WORK.
3.	THIS BUILDING IS PRESENTLY FULLY SPRINKLERED. THE CONTRACTOR SHALL REWORK EXISTING PIPING IN REMODELED AREA. SYSTEM SHALL BE DESIGNED IN FULL ACCORDANCE WITH NFPA 13 AND LOCAL CODES AND REQUIREMENTS.
4.	THIS BUILDING IS PRESENTLY FULLY SPRINKLERED. THE CONTRACTOR SHALL EXTEND THE AUTOMATIC SPRINKLER HEADS AND PIPING IN REMODELED AREAS. SYSTEM SHALL BE DESIGNED IN FULL ACCORDANCE WITH NFPA 13 AND LOCAL CODES AND REQUIREMENTS. CONTRACTOR SHALL MATCH EXISTING PIPING MATERIAL AND SPRINKLER HEADS.

E


D

C

B

A

3/13/2025 2:24:59 PM



THESE DOCUMENTS ARE FOR INTERIM REVIEW AND NOT INTENDED FOR CONSTRUCTION, BIDDING, OR PERMIT PURPOSES. ENGINEER OF RECORD

DESIGN DEVELOPMENT - 03/13/2025

Δ	DESCRIPTION	DATE

Project Number 24066
 Drawn Author
 Checked Checker
 Approved Approver

PLUMBING LEVEL 02

SHEET

P2.2
 GUIDE Architecture, LLC

1

2

3

4

5

6

LEGEND		(NOT ALL SYMBOLS MAY BE USED)
SYMBOL	DESCRIPTION	
ABBREVIATIONS		
ABC	ABOVE COUNTER	
ADO	AUTOMATIC DOOR OPENER	
AFCI	ARC FAULT CIRCUIT INTERRUPTER	
AFF	ABOVE FINISHED FLOOR	
AFG	ABOVE FINISHED GRADE	
BW	BLANKET WARMER	
C	CRITICAL BRANCH	
CC	CRASH CART	
CLG	CEILING	
COF	COFFEE MACHINE	
COP	COPIER	
CR	CONTROLLED RECEPTACLE	
CS	CONTROLLED RECEPTACLE - SPLIT WIRED	
DC	DIGITAL CLOCK	
DW	DISHWASHER	
EQ	EQUIPMENT BRANCH	
EPO	EMERGENCY POWER OFF	
EV	ELECTRICAL VEHICLE CHARGING STATION	
EWB	ELECTRONIC WHITE BOARD	
EWV	ELECTRIC WATER COOLER	
FBO	FURNISHED BY OTHERS	
FI	FILM ILLUMINATOR (VIEW BOX)	
FLR	FLOOR MOUNTED	
FSD	FIRE/SMOKE DAMPER	
GFCI	GROUND FAULT CIRCUIT INTERRUPTER	
ICE	ICE MACHINE/MAKER	
IG	ISOLATED GROUND	
LS	LIFE SAFETY BRANCH	
MW	MICROWAVE	
PC	PERSONAL COMPUTER WORKSTATION	
PR	PRINTER	
PT	PNEUMATIC TUBE	
RF	REFRIGERATOR	
RX	PHARMACEUTICAL DISPENSER	
TC	TIME CLOCK	
TR	TAMPER RESISTANT	
TV	TELEVISION	
URF	UNDERCOUNTER REFRIGERATOR	
USB	RECEPTACLE WITH USB OUTLET(S)	
USBX	USB ONLY (X) = NUMBER OF USB OUTLETS	
VFD	VARIABLE FREQUENCY DRIVE	
VM	VENDING MACHINE	
WP	WEATHERPROOF	

LEGEND		(NOT ALL SYMBOLS MAY BE USED)
SYMBOL	DESCRIPTION	
FIRE ALARM		
	FIRE ALARM VISUAL DEVICE - STROBE ONLY	
	FIRE ALARM CEILING MOUNT VISUAL DEVICE - STROBE ONLY	
	FIRE ALARM AUDIO DEVICE	
	FIRE ALARM AUDIO DEVICE WITH STROBE	
	FIRE ALARM HORN	
	FIRE ALARM HORN WITH STROBE	
	FIRE ALARM CEILING MOUNT HORN WITH STROBE	
	FIRE ALARM CEILING MOUNT AUDIO DEVICE WITH STROBE	
	FIRE ALARM CEILING MOUNT SPEAKER	
	FIRE ALARM MANUAL PULL STATION	
	FIRE ALARM SMOKE DETECTOR NO SUBSCRIPT = IONIZATION TYPE; P= PHOTOELECTRIC; SS= SINGLE STATION SMOKE ALARM	
	FIRE ALARM HEAT DETECTOR SUBSCRIPT AS FOLLOWS: R=RATE OF RISE; T=FIXED TEMPERATURE	
	FIRE ALARM DUCT SMOKE DETECTOR	
	GAS DETECTOR	
	FLAME DETECTOR	
	BEAM DETECTOR SUBSCRIPT AS FOLLOWS: T=TRANSMITTER; R=RECEIVER	
	FIRE ALARM CONTROL MODULE	
	FIRE ALARM MONITOR MODULE	
	FIRE ALARM RELAY MODULE	
	FLOW SWITCH	
	TAMPER SWITCH	
	FIREFIGHTER'S TELEPHONE JACK	
	MAGNETIC DOOR HOLDER	
	SMOKE DETECTOR REMOTE INDICATOR / TEST SWITCH	
	FIRE ALARM CONTROL UNIT	
	FIRE ALARM ANNUNCIATOR PANEL	
	FIRE ALARM EXTENDER PANEL	
	SMOKE CONTROL AND PRESSURE PANEL	
MISCELLANEOUS		
	NON-FUSIBLE SAFETY SWITCH, SIZE AS NOTED (AMP RATING/POLES)	
	FUSIBLE SAFETY SWITCH, SIZE AS NOTED (AMP RATING/POLES/FUSE SIZE)	
	COMBINATION MOTOR STARTER	
	FACTORY WIRED CONTROLLER OR EQUIPMENT	
	MOTOR CONNECTION	
	DUCT HEATER CONNECTION	
	JUNCTION BOX - WALL MOUNTED UNLESS OTHERWISE NOTED	
	PANELBOARD	
	X-RAY ISOLATION PANEL LINE ISOLATION MONITOR	
	ISOLATION PANEL LINE ISOLATION MONITOR	
	CLOCK, SINGLE FACE - CLOCK AND RECEPTACLE AS SPECIFIED	
	CLOCK, DOUBLE FACE - CLOCK AND RECEPTACLE AS SPECIFIED	
	ELAPSED TIMER - DIGITAL TYPE	
	ELAPSED TIMER CONTROL - DIGITAL TYPE	
	MEDICAL GAS AREA ALARM PANEL	
	BUILDING AUTOMATION SYSTEM CONTROL PANEL	
	MEDICAL GAS COMPRESSED AIR CONTROL PANEL	
	GENERATOR REMOTE ANNUNCIATOR PANEL	
	MEDICAL GAS MASTER ALARM PANEL	
	MEDICAL GAS NITROGEN CONTROL PANEL	
	SECURITY SYSTEM CONTROL PANEL	
	DOOR SWITCH MOUNTED IN DOOR JAMB	
	DOOR RELEASE PUSH BUTTON	
	CARD READER	
	ELECTRONIC KEY PAD	
	PUSH BUTTON STATION	
	VARIABLE FREQUENCY DRIVE	
	PUSH PLATE (DOOR OPERATOR)	
	SPECIALTY EQUIPMENT TAG	
	MECHANICAL EQUIPMENT TAG	
	COMMUNICATIONS OUTLET - STANDARD MOUNTING HEIGHT, SPECIAL MOUNTING HEIGHT, CEILING	
	WALL PHONE	
	CATV OUTLET	

LEGEND		(NOT ALL SYMBOLS MAY BE USED)
SYMBOL	DESCRIPTION	
LIGHTING		
	LIGHTING FIXTURE ANNOTATIONS (LOCATION OF DESIGNATORS MAY VARY) FIXTURE TYPE: XX CIRCUIT NUMBER: 1 CONTROL DESIGNATION: [X]	
	SURFACE, SUSPENDED, OR RECESSED LUMINAIRES (TYPE DETERMINES MOUNTING)	
	RECESSED OR SURFACE DOWNLIGHT LUMINAIRE	
	PENDANT MOUNTED LUMINAIRE	
	WALL WASH LUMINAIRE	
	WALL MOUNTED LUMINAIRES	
	NO SHADING INDICATES CONNECTION TO NORMAL BRANCH CIRCUIT	
	HALF-SHADING INDICATES CONNECTION TO CRITICAL BRANCH CIRCUIT	
	FULL-SHADING INDICATES CONNECTION TO LIFE SAFETY BRANCH CIRCUIT	
	ILLUMINATED EXIT SIGNS, PROVIDE DIRECTIONAL ARROWS AND MOUNTING AS INDICATED ON PLANS	
	BATTERY POWERED EMERGENCY LIGHT	
	TRACK LIGHTING	
	POLE MOUNTED SITE LIGHTING LUMINAIRES	
	GROUND OR POLE MOUNTED FLOODLIGHT	
	FAA SPECIALTY LIGHTING (TYPE DETERMINES MOUNTING)	
RECEPTACLES		
	DUPEX RECEPTACLE - STANDARD MOUNTING HEIGHT 11 = CIRCUIT NUMBER (TYPICAL) XX = RECEPTACLE DESIGNATOR (TYPICAL)	
	DUPEX RECEPTACLE - ABOVE COUNTER OR SPECIAL MOUNTING HEIGHT	
	DOUBLE-DUPEX RECEPTACLE - STANDARD MOUNTING HEIGHT	
	DOUBLE-DUPEX RECEPTACLE - ABOVE COUNTER OR SPECIAL MOUNTING HEIGHT	
	DUPEX GFCI RECEPTACLE - STANDARD MOUNTING HEIGHT	
	DUPEX GFCI RECEPTACLE - ABOVE COUNTER OR SPECIAL MOUNTING HEIGHT	
	CONTROLLED DUPEX RECEPTACLE - STANDARD MOUNTING HEIGHT	
	DUPEX RECEPTACLE, ESSENTIAL POWER - STANDARD MOUNTING HEIGHT	
	DUPEX RECEPTACLE, ESSENTIAL POWER - ABOVE COUNTER OR SPECIAL MOUNTING HEIGHT	
	DOUBLE-DUPEX RECEPTACLE, ESSENTIAL POWER - STANDARD MOUNTING HEIGHT	
	DOUBLE-DUPEX RECEPTACLE, ESSENTIAL POWER - ABOVE COUNTER OR SPECIAL MOUNTING HEIGHT	
	DUPEX GFCI RECEPTACLE, ESSENTIAL POWER - STANDARD MOUNTING HEIGHT	
	DUPEX GFCI RECEPTACLE, ESSENTIAL POWER - ABOVE COUNTER OR SPECIAL MOUNTING HEIGHT	
	SPECIAL CONFIGURATION RECEPTACLE (TYPE AS NOTED)	
	SPECIAL CONFIGURATION RECEPTACLE, ESSENTIAL POWER (TYPE AS NOTED)	
	FLOOR BOX / POKE-THRU XX - DEVICE TYPE	
	FLOOR BOX / POKE-THRU, ESSENTIAL POWER XX - DEVICE TYPE	
	SURFACE WIREWAY OR RACEWAY WITH RECEPTACLES AS NOTED	
SWITCHES AND LIGHTING CONTROLS		
NORMAL	CRITICAL	
		SINGLE POLE SWITCH
		DOUBLE POLE, SINGLE THROW SWITCH
		THREE-WAY SWITCH
		FOUR-WAY SWITCH
		SINGLE POLE SWITCH - KEY OPERATED
		DIMMER SWITCH
		LOW VOLTAGE SWITCH
		SINGLE POLE SWITCH WITH PILOT LIGHT
		OCCUPANCY SENSOR SWITCH, WALL MOUNT
		VACANCY DIMMER
		VACANCY SENSOR SWITCH
		MOTOR RATED SWITCH WITH THERMAL OVERLOAD
		TIMER SWITCH
		VARIABLE INTENSITY SWITCH
		JOG SWITCH
		PHOTOCELL - CEILING / WALL MOUNT
		OCCUPANCY SENSOR - CEILING / WALL MOUNT
		DAYLIGHT SENSOR - CEILING / WALL MOUNT
		VACANCY SENSOR - CEILING / WALL MOUNT
CIRCUITS AND RACEWAYS		
	CIRCUIT OR RACEWAY CONCEALED OR EXPOSED	
	CIRCUIT OR RACEWAY BELOW OR IN FLOOR SLAB OR BELOW GRADE	
	CONDUIT OR RACEWAY TURNING UP	
	CONDUIT OR RACEWAY TURNING DOWN	
	CAPPED CONDUIT OR RACEWAY	
	CIRCUIT OR CONDUIT CONTINUATION	
	HOMERUN TO PANELBOARD - REFER TO SPECIFICATIONS FOR MINIMUM CONDUIT SIZES.	

SHEET INDEX	
NUMBER	SHEET NAME
E0.0	ELECTRICAL LEGENDS, INDEX, AND NOTES
E0.1	ELECTRICAL SCHEDULES
E2.2	ELECTRICAL LIGHTING LEVEL 2
E3.2	ELECTRICAL POWER LEVEL 2
E4.2	ELECTRICAL FIRE ALARM LEVEL 2
E5.1	ELECTRICAL DETAILS
E8.1	ELECTRICAL PANEL SCHEDULES

EQUIPMENT NOMENCLATURE	
EQUIPMENT IDENTIFICATION TAGS ARE COMPOSED AS FOLLOWS:	
[EQUIPMENT TYPE]	[BRANCH OF POWER] [VOLTAGE] [LEVEL] [LOCATION]
EXAMPLE: MSBNH1A	
MAIN SWITCHBOARD NORMAL POWER	
AREA A LEVEL 1 480/277V	
MSG = MAIN SWITCH GEAR	LCP = LIGHTING CONTROL PANEL
SD = SERVICE DISCONNECT	LRP = LIGHTING RELAY PANEL
DSG = DISTRIBUTION SWITCHGEAR	DCP = DIMMING CONTROL PANEL
MSB = MAIN SWITCHBOARD	MCC = MOTOR CONTROL CENTER
USB = DISTRIBUTION SWITCHBOARD	X = TRANSFORMER
USB = UNIT SUBSTATION	G = GENERATOR
UPS = UNINTERRUPTIBLE POWER SUPPLY	ATS = AUTOMATIC TRANSFER SWITCH
MDP = MAIN DISTRIBUTION PANELBOARD	MTS = MANUAL TRANSFER SWITCH
DP = DISTRIBUTION PANELBOARD	WG = WIRING GUTTER
IP = ISOLATED POWER PANELBOARD	EL# = ELEVATOR (# REPRESENTS CAB)
LP (OR P) = LIGHTING & BRANCH APPLIANCE PANELBOARD	BW = BUSWAY
	BP = BUS PLUG
BRANCHES OF POWER: N = NORMAL S = LIFE SAFETY Q = EQUIPMENT H = 480/277V VOLTAGE E = EMERGENCY C = CRITICAL U = UPS L = 208/120V	
LEVELS: 1 = LEVEL 1 4 = LEVEL 4 7 = LEVEL 7 A = AREA A D = AREA D G = AREA G 2 = LEVEL 2 5 = LEVEL 5 8 = LEVEL 8 B = AREA B E = AREA E H = AREA H 3 = LEVEL 3 6 = LEVEL 6 9 = LEVEL 9 C = AREA C F = AREA F I = AREA I	



GUIDE Architecture, LLC
1108 Quaker St. Suite 130
Dallas TX 75207
1.214.960.9773

COOK CHILDREN'S WALSH ENT CLINIC
COOK CHILDREN'S
13340 HIGHLAND HLS DRIVE
SUITE 211
ALEDO, TX, 76008

THESE DOCUMENTS ARE FOR INTERIM REVIEW AND NOT INTENDED FOR CONSTRUCTION, BIDDING, OR PERMIT PURPOSES.
ENGINEER OF RECORD

DESIGN DEVELOPMENT - 03/13/2025

Δ	DESCRIPTION	DATE

Project Number 24066
Drawn Author
Checked Checker
Approved Approver

ELECTRICAL LEGENDS, INDEX, AND NOTES

SHEET

E0.0
GUIDE Architecture, LLC



GUIDE Architecture, LLC
1108 Quaker St. Suite 130
Dallas TX 75207
1.214.960.9773

COOK CHILDREN'S WALSH ENT CLINIC

COOK CHILDREN'S
13340 HIGHLAND HLS DRIVE
SUITE 211
ALEDO, TX, 76008


DEMOLITION LEGEND	
SYMBOL	DESCRIPTION
	EXISTING TO REMAIN
	EXISTING TO BE REMOVED
	DEMO TO THIS POINT

RENOVATION LEGEND	
SYMBOL	DESCRIPTION
	EXISTING TO REMAIN
	NEW CONSTRUCTION
	CONNECT TO EXISTING AT THIS POINT


SHEET GENERAL NOTES	
A.	TYPE HERE...
B.	TYPE HERE...
C.	TYPE HERE...

SHEET KEYED DEMO NOTES	
1.	TYPE HERE.
2.	TYPE HERE.
3.	TYPE HERE.

SHEET KEYED RENO NOTES	
1.	TYPE HERE.
2.	TYPE HERE.
3.	TYPE HERE.



2 ELECTRICAL - PARTIAL - FIRE ALARM LEVEL 2 DEMO
1/8" = 1'-0"



1 ELECTRICAL - PARTIAL - FIRE ALARM LEVEL 2
1/8" = 1'-0"

THESE DOCUMENTS ARE FOR INTERIM REVIEW AND NOT INTENDED FOR CONSTRUCTION, BIDDING, OR PERMIT PURPOSES. ENGINEER OF RECORD

DESIGN DEVELOPMENT - 03/13/2025

Δ	DESCRIPTION	DATE

Project Number 24066
Drawn Author
Checked Checker
Approved Approver

ELECTRICAL FIRE ALARM LEVEL 2

SHEET

E4.2
GUIDE Architecture, LLC

E

D

C

B

A

1

2

3

4

5

6

7/27/2025 6:27:12 PM

DEMOLITION LEGEND	
SYMBOL	DESCRIPTION
	EXISTING TO REMAIN
	EXISTING TO BE REMOVED
	DEMO TO THIS POINT

RENOVATION LEGEND	
SYMBOL	DESCRIPTION
	EXISTING TO REMAIN
	NEW CONSTRUCTION
	CONNECT TO EXISTING AT THIS POINT

SHEET GENERAL NOTES



A. TELECOMMUNICATIONS OUTLETS AND LOW VOLTAGE DEVICES SHOWN ON THIS SHEET SERVED FROM TELECOM ROOM INDICATED ON FLOOR PLAN.

B. REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATIONS OF TELECOMMUNICATIONS OUTLETS AND LOW VOLTAGE DEVICES WHERE SHOWN ON WALL ELEVATIONS.

SHEET KEYED NOTES

1. DATA OUTLET FOR AUDIOLOGY BOOTH. COORDINATE WITH EQUIPMENT MANUFACTURER FOR EXACT LOCATION.

2. PROVIDE POINT-TO-POINT HDMI CABLING BETWEEN MICROSCOPE AND DUPLICATIVE MONITORS.



GUIDE Architecture, LLC
1108 Quaker St. Suite 130
Dallas TX 75207
1.214.960.9773

COOK CHILDREN'S WALSH ENT CLINIC

COOK CHILDREN'S
13340 HIGHLAND HLS DRIVE
SUITE 211
ALEDO, TX, 76008

THESE DOCUMENTS ARE FOR INTERIM REVIEW AND NOT INTENDED FOR CONSTRUCTION, BIDDING, OR PERMIT PURPOSES.
ENGINEER OF RECORD

DESIGN DEVELOPMENT - 03/13/2025

Δ	DESCRIPTION	DATE

Project Number 24066
Drawn Author
Checked Checker
Approved Approver

TECHNOLOGY - LEVEL 02 - ENT DEMO & RENO PLAN

SHEET

T2.2
GUIDE Architecture, LLC

E

D

C

B

A

1

2


3

4


5

6


3/16/2025 9:41:04 AM




4 TYPICAL EXAM ROOM AV SCHEMATIC
1/2" = 1'-0"



3 FLOOR BOX DETAIL
1" = 1'-0"



2 DB-2 WALL BOX DETAIL
1" = 1'-0"



1 DB-1 WALL BOX DETAIL
1" = 1'-0"

THESE DOCUMENTS ARE FOR INTERIM REVIEW AND NOT INTENDED FOR CONSTRUCTION, BIDDING, OR PERMIT PURPOSES. ENGINEER OF RECORD

DESIGN DEVELOPMENT - 03/13/2025

Δ	DESCRIPTION	DATE

Project Number 24066
Drawn Author
Checked Checker
Approved Approver

TECHNOLOGY
DETAILS

SHEET

T6.0
GUIDE Architecture, LLC

E

D

C

B

A



GUIDE Architecture, LLC
 1108 Quaker St. Suite 130
 Dallas TX 75207
 1.214.960.9773

COOK CHILDREN'S WALSH ENT CLINIC

COOK CHILDREN'S
 13340 HIGHLAND HLS DRIVE
 SUITE 211
 ALEDO, TX, 76008

THESE DOCUMENTS ARE FOR INTERIM REVIEW AND NOT INTENDED FOR CONSTRUCTION, BIDDING, OR PERMIT PURPOSES.
 ENGINEER OF RECORD

DESIGN DEVELOPMENT - 03/13/2025


Δ	DESCRIPTION	DATE

Project Number 24066
 Drawn Author
 Checked Checker
 Approved Approver


TECHNOLOGY
 DETAILS

SHEET


T6.1
GUIDE Architecture, LLC



3 55" DISPLAY ELEVATION
 1" = 1'-0"



2 43" DISPLAY ELEVATION
 1" = 1'-0"



1 32" DISPLAY ELEVATION
 1" = 1'-0"

E

D

C

B

A

1

2

3

4

5

6

3/16/2025 9:41:05 AM

NOT FOR REGULATORY
APPROVAL, PERMITTING
OR CONSTRUCTION

COPY RIGHT 2012

SALESPERSON:

COOK CHILDRENS

DESIGNER:

SRE

DATE:

03/11/25 14:08

REVISIONS:


PROPOSAL #

TBD

COOK CHILDRENS - WALSH RANCH LV 2 ENT


13340 HIGHLAND HILLS DRIVE, ALEDO, TX 76008

LV 2 - ENT FURNITURE FLOORPLAN



WALSH RANCH - LV 2 - ENT DEPT. FURNITURE FLOOR PLAN

ROYER SCOPE:
A1 - MEDICAL EQUIP. PROVIDED SPECIALTY EXAM CHAIR
B1 - WALL MOUNTED COMPUTERS - ROYER TO PROVIDE



NOT FOR REGULATORY
APPROVAL, PERMITTING
OR CONSTRUCTION

COPY RIGHT 2012

SALESPERSON:

COOK CHILDRENS

DESIGNER:

SRE

DATE:

03/11/25 14:08

REVISIONS:


PROPOSAL #

TBD


COOK CHILDRENS - WALSH RANCH LV 2 ENT

13340 HIGHLAND HILLS DRIVE, ALEDO, TX 76008

LV 2 - ENT FURNITURE FLOORPLAN



AUDIOLOGY BOOTH - FURNITURE PLAN



AUDIOLOGY BOOTH - FURNITURE PLAN RENDERING

WORKSURFACES AT TASK CHAIR HEIGHT, CAN ADJUST TALLER IF DESIRED

5H STORAGE CABINET FOR TOYS

NOT FOR REGULATORY
APPROVAL, PERMITTING
OR CONSTRUCTION

COPY RIGHT 2012

SALESPERSON:
COOK CHILDRENS

DESIGNER:
SRE






DATE:
03/11/25 14:08

REVISIONS:

PROPOSAL #
TBD

COOK CHILDRENS - WALSH RANCH LV 2 ENT
13340 HIGHLAND HILLS DRIVE, ALEDO, TX 76008

LV 2 - ENT FURNITURE FLOORPLAN



FURNITURE PLAN - EAST SIDE

NURSE STATION RENDERING